



Test Report

No.T51910221078TC-01

Date: APR 01, 2019

Page 1 of 13

DOUBLEEAGLE INDUSTRY (CHINA) LIMITED
XINGDA INDUSTRIAL PARK, CHENGHAI DISTRICT,
SHANTOU CITY, GUANGDONG PROVINCE, CHINA

This report supersedes all the previous documents bearing the test report number T51910221078TC

The following samples were submitted and identified by/on behalf of the client as:

RADIO CONTROL TOYS

Item No. : E220-003, E226-003, E227-003, E228-003, E229-003, E230-003, E221-003,
E222-003, E223-003, E224-003, E225-003, E229-003, E232-003, E233-003,
E234-003, E250-003, E251-003, E252-003, E253-003, E254-003, E261-003,
E262-003, E263-003, E264-003, E265-003, E271-003, E272-003, E273-003,
E274-003, E275-003, E350-003, E351-003, E352-003, E353-003, E354-003,
E355-003, E356-003, E357-003, E358-003, E361-003, E362-003, E363-003,
S052-003, S053-003, E511-003, E516-003, E517-003, E518-003, E519-003,
E520-003, E521-003, E522-003, E523-003, E524-003, E525-003, E526-003,
E527-003, E528-003, E529-003, E547-003, E548-003, E549-003, E550-003,
E551-003, E557-003, E558-003, E559-003, E560-003, E561-003, E562-003,
E563-003, E564-003, E565-003, E566-003, E567-003, E568-003, E569-003,
E570-003, E571-003, E572-003

Supplier : DOUBLEEAGLE INDUSTRY (CHINA) LIMITED

Manufacturer : DOUBLEEAGLE INDUSTRY (CHINA) LIMITED

Country of Origin : CHINA

Requested Age Grading : 3+

Sample Receiving Date : MAR 13, 2019

Further Information Date : APR 01, 2019

Testing Period : MAR 13, 2019 TO MAR 26, 2019



SGS-CSTC Testing Technology Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No. T51910221078TC-01

Date: APR 01, 2019

Page 2 of 13

Test Requested		Conclusion
1.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch Testing Center



T51910221078TC-01

Qu Ping, Kiky
Dept. Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Results:
1. Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – PAHs Content

Method: With reference to AfPS GS 2014:01 PAK method.

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

For Toy or childcare product

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	1	2	3		
Alias No.	--	1	1	1		
Tracing No.	--	1	2	3		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	4	5	6		
Alias No.	--	1	1	1		
Tracing No.	--	4	5	6		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	7	8	9		
Alias No.	--	1	1	1		
Tracing No.	--	7	8	9		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	0.3	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	0.3	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5


 SGS-CSTC Testing Technology Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	10	11	12		
Alias No.	--	1	1	1		
Tracing No.	--	10	11	12		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	0.2	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	13	14	15		
Alias No.	--	1	1	1		
Tracing No.	--	13	14	15		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	16	17	18		
Alias No.	--	1	1	1		
Tracing No.	--	16	17	18		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	19	20	21		
Alias No.	--	1	1	1		
Tracing No.	--	19	20	21		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	22	23	24		
Alias No.	--	1	1	1		
Tracing No.	--	22	23	24		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	25	26	27		
Alias No.	--	1	1	1		
Tracing No.	--	25	26	27		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	28	29	30		
Alias No.	--	1	1	1		
Tracing No.	--	28	29	30		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	0.2	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	31	32	33		
Alias No.	--	1	1	1		
Tracing No.	--	31	32	33		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	34	35	36		
Alias No.	--	1	1	1		
Tracing No.	--	34	35	36		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	37	38	39		
Alias No.	--	1	1	1		
Tracing No.	--	37	38	39		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	40	41	42		
Alias No.	--	1	1	1		
Tracing No.	--	40	41	42		
1. Benz[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	43	44		
Alias No.	--	1	1		
Tracing No.	--	43	44		
1. Benz[a]anthracene	56-55-3	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	0.1	0.5



Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	45	46		
Alias No.	--	1	1		
Tracing No.	--	45	46		
1. Benz[a]anthracene	56-55-3	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	ND	0.1	0.5

Specimen Description:

1. Black plastic (Base, Bodywork, chassis) + Yellow plastic (Bodywork)
2. Pearl grey plastic (Tower crane) + Laminated paper label w/ multi-color printing (Sticker)
3. Black plastic (Cable jacket) + Red plastic (Wire jacket) + Black plastic (Switch)
4. Grey woven cord w/ Black fabric cord
5. White plastic (Guard bar) w/ Transparent plastic string (Tower crane)
6. White plastic (Bodywork) + Bright white plastic (Accessory)
7. Black coating (Pattern, bodywork, lettering, remote control) + Bright silvery coating (Logo, shaft)
8. Dull dark grey coating (Excavator) w/ Silvery coating (Remote control, pattern, bodywork) w/ blue (Logo), light red (Light) coating
9. Chocolate plastic (Wood) + Cream plastic (Connector)
10. Bright black plastic (Remote control) + Dull yellow plastic (Remote control)
11. Black soft plastic jacket (Trailer) + Translucent hot melt glue w/ Transparent red plastic (LED)
12. Bright black plastic (Battery cover) + Grey plastic (wheel, bodywork, connector, hook)
13. Black soft plastic (Tyre) + White plastic (Connector, holder, point) + White plastic (Gear)
14. Black soft plastic (Mirror) + Transparent plastic (Light cover)
15. Transparent red plastic (Light cover) + White rubber (Button)
16. Green plastic (Remote control, bodywork) + Dull dark red plastic (Remote control)
17. Black soft plastic (Plug) + Dull grey plastic (Tractor)
18. Light red plastic (Tractor) + Black plastic (Cable jacket of tractor)
19. Black plastic (Tractor) + Dark grey plastic (Tractor)
20. Matt-black soft plastic (Tyre of tractor) + Bright red plastic (Hub) w/ Translucent plastic (LED)
21. Light orange plastic (Excavator) + Dull silvery-grey plastic (Excavator)




Specimen Description:

22. Transparent orange plastic (Light cover) + Dark green plastic (Ash-bin)
23. Bright black soft plastic (Tyre of wheel loader) w/ Transparent dark red plastic (Light) w/ black plastic (Key)
24. Orange-yellow plastic (Garbage truck) + Bright grey plastic (Garbage truck)
25. Pale grey plastic (Garbage truck) + Dull red plastic (Garbage truck)
26. Black plastic (Shaft) + Transparent plastic (Bottle)
27. Light red plastic (Wire jacket) + Light yellow plastic (Wire jacket) + Black plastic (Wire jacket)
28. Bright pearl grey plastic (Bodywork) + Black soft plastic (Stopper)
29. Dull grey coating (Fire truck) w/ White coating (Holder, lettering) w/ Pearl grey coating (Fire truck)
30. Black soft plastic (Tube) + Bright dark red plastic (Fire truck)
31. Silvery plastic label w/ black printing (Sticker) + Transparent blue plastic (Light cover)
32. Light grey plastic (Cement mixer) + Dull grey plastic (Cement mixer)
33. Silvery-grey coating (Wheel loader) + Multi-color coating (Bodywork)
34. Black plastic (Guard bar) + Blue plastic (Container truck)
35. Dull light yellow plastic (Remote control)
36. Bright black plastic (Small wheel) + Off-white plastic (Holder) w/ Translucent red plastic (LED)
37. Bright black plastic (Cable jacket) + Black soft plastic (Trye of rock crawler) + Off-white plastic (Helmet)
38. Bright yellow plastic (Rock crawler) + Dull white plastic (Rock crawler)
39. Black plastic (Bearing) + Black soft plastic (Band of excavator)
40. Bright black coating (Bodywork) w/ Dark grey coating (Bodywork) w/ Red coating (Light)
41. Black soft plastic (String of excavator) + Matt-black plastic (Spoon of excavator)
42. Light silvery-grey plastic (Excavator)
43. Transparent black plastic (USB) w/ Black plastic (Plug) w/ Shiny silvery plastic label w/ black printing (Sticker)
44. Black soft plastic jacket w/ white printing (USB) + Deep black soft plastic jacket w/ white printing (Adaptor) + Black soft plastic (SR)
45. Black plastic (Adaptor) + Matt-black plastic (Adaptor) + Laminated silvery plastic label w/ dark grey, white printing (Sticker)
46. Dull yellow plastic (Gear)



- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - mg/kg = milligram per kilogram
 - + The limit is specified by Commission Regulation (EU) No 1272/2013 amending Annex XVII to Regulation (EC) No 1907/2006 effective after 27 December 2015.
 - The result(s) is (are) calculated using the total specimen weight for composite test

Sample Picture (As received)



Sample Picture (As received)

Pic.5



Pic.6




Pic.7



Pic.8



Pic.9



Pic.10




SGS-CSTC 检验检测专用章
Inspection & Testing Services
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Picture (As received)




SGS-CSTC (Shenzhen Branch) Testing Center Hardlines
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Picture (As received)



SGS authenticate the photo on original report only

*** End of Report ***

