



中国认可
国际互认
检测
TESTING
CNAS L2929

Test Report

No.T51910221075TC

Date: APR 01, 2019

Page 1 of 11

DOUBLEEAGLE INDUSTRY (CHINA) LIMITED
XINGDA INDUSTRIAL PARK, CHENGHAI DISTRICT,
SHANTOU CITY, GUANGDONG PROVINCE, CHINA

The following samples were submitted and identified by/on behalf of the client as:

RADIO CONTROL TOYS

Item No. : E220-003, E226-003, E227-003, E228-003, E229-003, E230-003, E221-003,
E222-003, E223-003, E224-003, E225-003, E229-003, E232-003, E233-003,
E234-003, E250-003, E251-003, E252-003, E253-003, E254-003, E261-003,
E262-003, E263-003, E264-003, E265-003, E271-003, E272-003, E273-003,
E274-003, E275-003, E350-003, E351-003, E352-003, E353-003, E354-003,
E355-003, E356-003, E357-003, E358-003, E361-003, E362-003, E363-003,
S052-003, S053-003, E511-003, E516-003, E517-003, E518-003, E519-003,
E520-003, E521-003, E522-003, E523-003, E524-003, E525-003, E526-003,
E527-003, E528-003, E529-003, E547-003, E548-003, E549-003, E550-003,
E551-003, E557-003, E558-003, E559-003, E560-003, E561-003, E562-003,
E563-003, E564-003, E565-003, E566-003, E567-003, E568-003, E569-003,
E570-003, E571-003, E572-003

Supplier : DOUBLEEAGLE INDUSTRY (CHINA) LIMITED
Manufacturer : DOUBLEEAGLE INDUSTRY (CHINA) LIMITED
Country of Origin : CHINA
Requested Age Grading : 3+
Sample Receiving Date : MAR 13, 2019
Testing Period : MAR 13, 2019 TO APR 01, 2019



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Testing Technology Co., Ltd.
Shenzhen Branch Testing Center Hardlines

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No. T51910221075TC

Date: APR 01, 2019

Page 2 of 11

Test Requested		Conclusion
1.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Cadmium content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch Testing Center



T51910221075TC

Qu Ping, Kiky
Dept. Manager
CNAS Approved Signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Results:
1. Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – Cadmium Content

Method: With reference to EN1122: 2001 method B / IEC 62321-5:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

For Plastic

Test Item(s)			Cadmium (Cd)
Permissible Limit (mg/kg)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Black plastic (Base, Bodywork, chassis) + Pearl grey plastic (Tower crane) + Yellow plastic (Bodywork)	1	1	ND
2. Laminated paper label w/ multi-color printing (Sticker) + Transparent plastic string (Tower crane) + Black plastic (Cable jacket)	1	2	ND
3. Red plastic (Wire jacket) + Black plastic (Cable jacket of tractor) + Matt-black soft plastic (Tyre of tractor)	1	3	ND
4. White plastic (Guard bar) + Black plastic (Switch) + Black plastic (Tractor)	1	4	ND
5. White plastic (Bodywork) + Bright white plastic (Accessory) + Chocolate plastic (Wood)	1	5	ND
6. Bright black plastic (Remote control) + Dull yellow plastic (Remote control) + Transparent red plastic (LED)	1	6	ND
7. Black soft plastic jacket (Trailer) + Translucent hot melt glue + Black soft plastic (Tyre)	1	7	ND
8. Cream plastic (Connector) + Bright black plastic (Battery cover) + Grey plastic (wheel, bodywork, connector, hook)	1	8	ND
9. White plastic (Connector, holder, point) + Transparent plastic (Light cover) + Transparent red plastic (Light cover)	1	9	ND
10. Black soft plastic (Mirror) + White rubber (Button) + Black soft plastic (Plug)	1	10	ND
11. Green plastic (Remote control, bodywork) + Dull grey plastic (Tractor) + Light red plastic (Tractor)	1	11	ND
12. White plastic (Gear) + Bright red plastic (Hub) + Transparent orange plastic (Light cover)	1	12	ND
13. Dark grey plastic (Tractor) w/ Translucent plastic (LED) w/ Black plastic (Key)	1	13	ND
14. Dark green plastic (Ash-bin) + Orange-yellow plastic (Garbage truck) + Bright grey plastic (Garbage truck)	1	14	ND
15. Pale grey plastic (Garbage truck) + Dull red plastic (Garbage truck) + Black plastic (Shaft)	1	15	ND
16. Light red plastic (Wire jacket) + Light yellow plastic (Wire jacket) + Black plastic (Wire jacket)	1	16	ND


 SGS-CSTC Testing Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)			Cadmium (Cd)
Permissible Limit (mg/kg)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
17. Transparent plastic (Bottle) + Dull dark red plastic (Remote control) + Bright pearl grey plastic (Bodywork)	1	17	ND
18. Black soft plastic (Stopper) + Black soft plastic (Tube) + Silvery plastic label w/ black printing (Sticker)	1	18	ND
19. Bright dark red plastic (Fire truck) + Transparent blue plastic (Light cover) + Light grey plastic (Cement mixer)	1	19	ND
20. Dull grey plastic (Cement mixer) + Black plastic (Guard bar) + Transparent dark red plastic (Light)	1	20	ND
21. Bright black soft plastic (Tyre of wheel loader) + Bright black plastic (Cable jacket) + Black soft plastic (Trye of rock crawler)	1	21	10
22. Blue plastic (Container truck) + Dull light yellow plastic (Remote control) + Translucent red plastic (LED)	1	22	ND
23. Bright yellow plastic (Rock crawler) + Dull white plastic (Rock crawler) + Off-white plastic (Helmet)	1	23	ND
24. Black plastic (Bearing) + Bright black plastic (Small wheel) + Matt-black plastic (Spoon of excavator)	1	24	ND
25. Black soft plastic (Band of excavator) + Black soft plastic (String of excavator)	1	25	ND
26. Light silvery-grey plastic (Excavator) + Off-white plastic (Holder)	1	26	ND
27. Transparent black plastic (USB) + Black plastic (Plug) + Shiny silvery plastic label w/ black printing (Sticker)	1	27	ND
28. Black plastic (Adaptor) + Matt-black plastic (Adaptor) + Laminated silvery plastic label w/ dark grey, white printing (Sticker)	1	28	ND
29. Black soft plastic jacket w/ white printing (USB) + Deep black soft plastic jacket w/ white printing (Adaptor) + Black soft plastic (SR)	1	29	ND
30. Light orange plastic (Excavator) + Dull silvery-grey plastic (Excavator) + Dull yellow plastic (Gear)	1	30	ND
31. Translucent yellow hot melt glue (Adaptor) + Brown PCB w/ green, white printing (Adaptor) + Translucent cream plastic (Adaptor)	1	31	8
32. Pink plastic (Thick wire jacket) + Green plastic sheet (Adaptor) + Black plastic sheet (Adaptor)	1	32	ND
33. Brown PCB w/ dark green, white printing (Remote control) + Light brown PCB (Under switch) + Dark brown PCB w/ green printing (Remote control) w/ Black material (IC of remote control)	1	33	ND
34. Black plastic (Button) w/ White paper label w/ green coating (Sticker) + Light green plastic sheet w/ black coating (Battery jacket)	1	34	ND
35. Black soft plastic wire jacket (Battery) + Red soft plastic wire jacket (Battery) + Red soft plastic wire jacket (Remote control)	1	35	ND
36. Black plastic (Plug of Battery) + Black soft plastic wire jacket (Remote control) + Bright soft plastic wire jacket (Remote control)	1	36	20
37. Black soft plastic thin wire jacket + Red soft plastic thin wire jacket + White soft plastic thin wire jacket (Rock crawler)	1	37	12



Test Item(s)			Cadmium (Cd)
Permissible Limit (mg/kg)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
38. Blue soft plastic thin wire jacket (Rock crawler) + White plastic (Plug, slot) + Black soft plastic thick wire jacket	1	38	ND
39. Brown PCB w/ green, white printing (Rock crawler) + Light yellow PCB (Speaker) + Brown PCB w/ green, white printing, black material (Unit)	1	39	ND
40. Black material (Big IC) + Black material (IC) + Black material (Small IC)	1	40	ND
41. Red soft plastic thick wire jacket + Transparent adhesive plastic tape + Translucent white plastic (LED)	1	41	ND
42. Cream plastic (Motor cover) + Dull cream plastic (Motor cover) + Dark cream plastic (Motor block)	1	42	ND
43. Translucent cream plastic (Motor bushing) w/ White plastic sheet (Motor washer) w/ Red plastic sheet (Motor rotor)	1	43	ND
44. Translucent light red plastic (LED) + Cream plastic (Slot) + Green soft plastic wire jacket	1	44	ND
45. White soft plastic wire jacket + Blue soft plastic (wire jacket) + Red soft plastic wire jacket (Wheel loader)	1	45	ND
46. Cream plastic (Speaker) w/ Transparent plastic sheet (Speaker) w/ Transparent dry glue (Speaker)	1	46	ND
47. Light cream adhesive paper tape + Red soft plastic thick wire jacket (Wheel loader) + Black soft plastic thick wire jacket (Wheel loader)	1	47	ND
48. Cream PCB w/ green printing (Motor) + Pale brown PCB w/ green printing (Tower crane) w/ black material (IR)	1	48	ND
49. Off-white plastic (Motor cover) w/ Green plastic sheet w/ white printing (Electrolytic capacitor)	1	49	ND
50. Black foam sheet w/ adhesive backing (Garbage truck) w/ Matt-black foam w/ adhesive (Remote control)	1	50	ND
51. Transparent red plastic (LED of garbage truck) + Transparent plastic (LED of garbage truck) + Green soft plastic wire jacket (Garbage truck)	1	51	ND
52. Green soft plastic thick wire jacket (Garbage truck) + White soft plastic wire jacket (Garbage truck) + Blue soft plastic wire jacket (Garbage truck)	1	52	ND
53. Blue soft plastic thick wire jacket (Garbage truck) + Black soft plastic ring (Garbage truck)	1	53	ND
54. White soft plastic tube (Garbage truck) + Black soft plastic (Wire jacket) + Green soft plastic thin wire jacket	1	54	ND
55. Light red soft plastic wire jacket + Dull red soft plastic wire jacket + Black soft plastic medium wire jacket	1	55	ND
56. Red plastic (Motor cover) + Dull yellow soft plastic (Wire jacket) + Orange plastic (Motor cover)	1	56	ND





Test Report

No. T51910221075TC

Date: APR 01, 2019

Page 6 of 11

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
57. Translucent PCB w/ green printing (Motor) + Dull brown PCB w/ green printing (Excavator) + Dark brown PCB w/ dull green, white printing (Remote control)	1	57	ND
58. Cream dry glue (Inner) + Dull green soft plastic thick wire jacket + Dull green soft plastic wire jacket	1	58	ND
59. Translucent cream PCB w/ green, white printing + Cream-yellow PCB (Speaker) + Dull yellow PCB w/ green, white printing	1	59	49
60. Black plastic (Slot) w/ black plastic ring (Plug) + Black plastic (Speaker)	1	60	16
61. Pale yellow soft plastic thin wire jacket + Translucent plastic (LED of cement mixer) + Blue soft plastic thin wire jacket (Dump truck)	1	61	ND
62. Light green soft plastic thin wire jacket (Dump truck) + Red soft plastic thin wire jacket (Dump truck) + Transparent plastic (LED of Fire truck)	1	62	10
63. Brown PCB w/ pink, white printing (USB) w/ Black material (IC of USB) w/ Black material (Diode of USB)	1	63	ND
64. Black rubber (Electrolytic capacitor of adaptor) w/ Cream adhesive paper tape (Adaptor) w/ Black plastic sheet w/ white printing (Electrolytic capacitor of adaptor)	3	1	ND
65. White rubber w/ black layer backing (Button) + Yellow soft plastic wire jacket + Light blue soft plastic wire jacket	3	2	ND



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

For Paint on Painted Article

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	1000		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Black coating (Pattern, bodywork, lettering, remote control) w/ blue (Logo), light red (Light) coating	2	1	ND
2. Silvery coating (Remote control, pattern, bodywork) w/ Bright silvery coating (Logo, shaft) w/ White coating (Holder, lettering)	2	2	ND
3. Dark grey coating (Bodywork) w/ Red coating (Light) w/ Pearl grey coating (Fire truck)	2	3	ND
4. Dull grey coating (Fire truck) + Silvery-grey coating (Wheel loader) + Dull dark grey coating (Excavator)	2	4	ND
5. Multi-color coating (Bodywork) + Bright black coating (Bodywork) w/ yellow coating (Light)	2	5	ND

- Note:
- Permissible and Reference Limit specified by Commission Regulation (EU) No 494/2011 & Commission Regulation (EU) No 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under entry 23 of Regulation (EC) No 552/2009 and directive 91/338/EC).
 - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.




SGS-CSTC Testing Technology Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Picture (As received)



Sample Picture (As received)


Pic.7



Pic.8



Pic.9



Pic.10



Pic.11



Pic.12



Sample Picture (As received)


Pic.13



Pic.14



Pic.15



Pic.16




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Picture (As received)



SGS authenticate the photo on original report only

*** End of Report ***



SGS-CSTC Testing Technology Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Banlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com