

No.: ED190717034C005 Date: July 31, 2019 Page 1 of 14

Applicant : eKids, LLC. / KIDDESIGNS INC.

Address : 1299, Main Street, Rahway, NJ 07065, U.S.A. Sample Name : DISNEY FROZEN II LIGHT AND MUSIC SET

Style/Item No. : FR-300, FR-300.11Mv9M (FR-V111, FR-V124, FR-V165)

: Shenzhen Inecan Electronic Co., Ltd.; **Factory**

Lizhen Electronics (Shenzhen) Co., Ltd.

Destination : EU **Country of Origin** CHINA

Sample Received Date : July 17, 2019 **Testing Completed Date** July 31, 2019

Test Requested As requested by the client, to evaluate the compliance of the submitted sample

> with EU RoHS Directive 2011/65/EU Annex II and its amendment (EU) 2015/863 on the restriction of the use of certain hazardous substances in electrical and

electronic equipment.

Test Method 1. Review was performed for the sample and the related Bill of Materials submitted by the Applicant.

2. a) Refer to the standard IEC 62321-3-1:2013: Screening by XRF

Spectroscopy.

b) Wet chemical test

1) refer to IEC 62321-5: 2013, determine the Cadmium, Lead

content by ICP-OES.

2) refer to IEC 62321-4: 2013, determine the Mercury content by

ICP-OES.

3) refer to IEC 62321-7-1:2015 & IEC 62321-7-2:2017, determine

the Hexavalent Chromium content by UV-VIS.

4) refer to IEC 62321-6:2015, determine the Polybrominated Biphenyls and Polybrominated Diphenyl Ethers by GC-MS.

5) refer to IEC 62321-8:2017, determine the Dibutyl phthalate(DBP),

Benzylbutyl phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP) and

Diisobutyl phthalate(DIBP) by GC-MS.

Test Results : Please refer to next page (s).





Page 2 of 14 No.: ED190717034C005 Date: July 31, 2019

Conclusion:

Basing on the test results obtained from the homogenous materials, the submitted sample COMPLIES with the EU RoHS Directive 2011/65/EU Annex II and its amendment (EU) 2015/863.

> Signed for and on behalf of EMTEK (Dongguan) Co., Ltd.

Prepared by:

Report Engineer

Reviewed by:

Carrie Zhang

Supervisor

Approved by:

Lisa Li

Manager





No.: ED190717034C005 Date: July 31, 2019 Page 3 of 14

Test Results:

1. Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs Test Results:

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	Pb	BL			
		Cd	Cd	BL			
	Support-light	Hg	Hg	BL		A	M
1	blue hard plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		D/			
		PBDEs	Br	BL			
		Pb	Pb	BL			
	Shell-light blue	Cd	Cd	BL			
	hard plastic	Hg	Hg	BL			
2	with dark blue and white	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
	coating	PBBs					
		PBDEs	Br BL				
		Pb	Pb	BL	NA	Pass	
	Shell-lid-light	Cd	Cd	BL			
	blue hard	Hg	Hg	BL			No comment
3	plastic with white and	Cr ⁶⁺	Cr	BL			No comment
	black printing	PBBs		BL			
		PBDEs	Br				
		Pb	Pb	BL			
		Cd	Cd	BL			
	Ear muff-white	Hg	Hg	BL			
4	soft plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
	5 Ear muff-white fabric	Cd	Cd	BL			
		Hg	Hg	BL	NIA	D	KIL COLUMN
5		Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		DI.			
		PBDEs	Br	BL			





No.: ED190717034C005 Date: July 31, 2019 Page 4 of 14

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	Pb	BL			
		Cd	Cd	BL			
	6 Ear muff-white	Hg	Hg	BL	NIA	D	
ь	foam	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
		Cd	Cd	BL			
_	Speaker-shell-	Hg	Hg	BL	NIA		1
7	black hard plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		Di	BL		
		PBDEs	Br	BL			
		Pb	Pb	BL	- NA	Pass	
		Cd	Cd	BL			
	Speaker-black	Hg	Hg	BL			No comment
8	hard plastic	Cr ⁶⁺	Cr	BL			
		PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
		Cd	Cd	BL			
0	Speaker-	Hg	Hg	BL	NIA		
9	transparent soft plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
	Speaker-	Cd	Cd	BL			
40		Hg	Hg	BL	NIA	- Da	Na sassa
10	voice coil- copper metal	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		NIA			
		PBDEs	Br	NA			





No.: ED190717034C005 Date: July 31, 2019 Page 5 of 14

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark	
		Pb	Pb	BL				
	Speaker- 11 magnet-black solid	Cd	Cd	BL				
		Hg	Hg	BL	NIA	NA Pass		
11		Cr ⁶⁺	Cr	BL	INA .		No comment	
		PBBs						
		PBDEs	Br	BL				
		Pb	Pb	BL				
		Cd	Cd	BL				
40	Speaker-	Hg	Hg	BL				
12	magnet-silver metal	Cr ⁶⁺	Cr	BL	NA	Pass	No comment	
		PBBs		110				
		PBDEs	Br	NA				
		Pb	Pb	BL	NO.		No comment	
		Cd	Cd	BL				
40	Speaker-wiring	Hg	Hg	BL	NA	Pass		
13	board-green PCB	Cr ⁶⁺	Cr	BL				
		PBBs			ND			
		PBDEs	Br	X	ND			
		Pb	Pb	BL				
		Cd	Cd	BL				
14	Speaker-wiring board-green	Hg	Hg	BL	NIA	Door	No commont	
14	PCB-solder- silver metal	Cr ⁶⁺	Cr	BL	NA	Pass	No comment	
	Silver metal	PBBs	D	NIA				
		PBDEs	Br	NA				
		Pb	Pb	BL				
	Speaker-	Cd	Cd	BL				
45		Hg	Hg	BL	NIA	Dese	No comment	
15	yellow glue	Cr ⁶⁺	Cr	BL	NA	Pass	No comment	
		PBBs	D.	DI				
		PBDEs	Br	BL				





No.: ED190717034C005 Date: July 31, 2019 Page 6 of 14

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	Pb	BL			
		Cd	Cd	BL			
40	Connector wire-jacket- white soft	Hg	Hg	BL	NIA		Maranasan
10		Cr ⁶⁺	Cr	BL	NA	Pass	No comment
	plastic	PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
		Cd	Cd	BL			
4-	Connector wire-buckle-	Hg	Hg	BL			
17	white soft plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
	piastic	PBBs		Di			
		PBDEs	Br	BL			
		Pb	Pb	BL	NA		No comment
		Cd	Cd	BL			
4.0	Connector	Hg	Hg	BL		Page	
18	wire-copper metal	Cr ⁶⁺	Cr	BL		Pass	
		PBBs					
		PBDEs	Br	NA			
		Pb	Pb	BL			No comment
		Cd	Cd	BL			
40	Connector wire-silver	Hg	Hg	BL	NIA		
19	metal with blue coating	Cr ⁶⁺	Cr	BL	NA	Pass	
	coating	PBBs		NIA			
		PBDEs	Br	NA			
		Pb	Pb	BL			
	Connector wire-silver	Cd	Cd	BL			
200		Hg	Hg	BL	NIA	- Da	NIA ALAMAN
20	metal with wine coating	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
4 8 4 K	wine coating	PBBs	D.	NΙΛ			
A VICTOR OF		PBDEs	Br NA	NA			





No.: ED190717034C005 Date: July 31, 2019 Page 7 of 14

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	Pb	BL			
		Cd	Cd	BL			
24	Connector wire-white	Hg	Hg	BL	NIA	Б	
21	wire-white thread	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		D			
		PBDEs	Br	BL			
		Pb	Pb	BL			
		Cd	Cd	BL			
00	Connector wire-plug-	Hg	Hg	BL			
22	cover-white	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
	soft plastic	PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL	NA NA		No comment
		Cd	Cd	BL			
	Connector wire-plug-	Hg	Hg	BL			
23	translucent	Cr ⁶⁺	Cr	BL		Pass	No comment
	hard plastic	PBBs					
		PBDEs	Br	BL			
		Pb	Pb	BL			
		Cd	Cd	BL			
0.4	Connector wire-plug-	Hg	Hg	BL			
24	solder-silver metal	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
	metai	PBBs					
		PBDEs	Br	NA			
		Pb	Pb	BL			
	Connector	Cd	Cd	BL			
0.5		Hg	Hg	BL			
25	wire-plug-bar- silver metal	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		NIA			
A KING TO S		PBDEs	Br	NA			





Page 8 of 14 No.: ED190717034C005 Date: July 31, 2019

No.	Sample description	Restricted substances	Analytical element	Results of EDXRF ⁽¹⁾	Results of Chemical Testing ⁽²⁾ (mg/kg)	Conclusion	Remark
		Pb	Pb	BL			
		Cd	Cd	BL			
20	Connector	Hg	Hg	BL	NIA	Dana	No comment
26	26 wire-plug-tube- silver metal	Cr ⁶⁺	Cr	BL	NA	Pass	
		PBBs	De	NIA			
		PBDEs	Br	NA			
		Pb	Pb	BL			
		Cd	Cd	BL			
0.7	Connector wire-plug-	Hg	Hg	BL			
27	black hard plastic	Cr ⁶⁺	Cr	BL	NA	Pass	No comment
		PBBs		DI			
		PBDEs	Br	BL			





No.: ED190717034C005 Date: July 31, 2019 Page 9 of 14

Test Results:

2. Phthalates (DBP, BBP, DEHP, DIBP) Test Results:

To all leave		Test Resu	ult (mg/kg)	Reporting Limit	Requirement	
Test Item	1/2/3	4/5/6	7/8/9	11/13	(mg/kg)	limit (mg/kg)
Dibutyl phthalate(DBP)	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate(BBP)	ND	ND	ND	ND	30	1000
Di-2-ethylhexyl phthalate(DEHP)	ND	ND	ND	ND	30	1000
Diisobutyl phthalate(DIBP)	ND	ND	ND	ND	30	1000
Conclusion	Pass	Pass	Pass	Pass		

Tastitas	Te	st Result (mg/l	kg)	Reporting Limit	Requirement limit (mg/kg)
Test Item	15/16/17	21/22	23/27	(mg/kg)	
Dibutyl phthalate(DBP)	ND	ND	ND	30	1000
Benzylbutyl phthalate(BBP)	ND	ND	ND	30	1000
Di-2-ethylhexyl phthalate(DEHP)	ND	ND	ND	30	1000
Diisobutyl phthalate(DIBP)	ND	ND	ND	30	1000
Conclusion	Pass	Pass	Pass		<u></u>

Note: mg/kg = parts per million = ppm ND = Not Detected (less than reporting limit)





No.: ED190717034C005 Date: July 31, 2019 Page 10 of 14

Test Material List:

Item No.	Description
1	Support-light blue hard plastic
2	Shell-light blue hard plastic with dark blue and white coating
3	Shell-lid-light blue hard plastic with white and black printing
4	Ear muff-white soft plastic
5	Ear muff-white fabric
6	Ear muff-white foam
7	Speaker-shell-black hard plastic
8	Speaker-black hard plastic
9	Speaker-transparent soft plastic
11	Speaker-magnet-black solid
13	Speaker-wiring board-green PCB
15	Speaker-yellow glue
16	Connector wire-jacket-white soft plastic
17	Connector wire-buckle-white soft plastic
21	Connector wire-white thread
22	Connector wire-plug-cover-white soft plastic
23	Connector wire-plug-translucent hard plastic
27	Connector wire-plug-black hard plastic

Note: As specified by the client, the samples were subjected to mixed testing.





No.: ED190717034C005 Date: July 31, 2019 Page 11 of 14

- Remark: (1) ① Results are obtained by XRF for primary screening, and further wet chemical testing by ICP-OES / AAS (for Cd, Pb, Hg), UV-VIS (for Cr(VI)) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if an inconclusive result was found (as "X" in below table) (unit: mg/kg).
 - ② OL = Over Limit, BL = Below Limit, X = Inconclusive, NA= Not Applicable.
 - ③ XRF screening test for RoHS elements The test result may be different from the actual content in the non-uniformity composition sample.

Element	Polymer	Metal	Composite Materials
Cd	BL \leq (70-3 σ)< X < (130+3 σ)	BL \leq (70-3 σ)< X < (130+3 σ)	LOD < X <(150+3 σ)≤ OL
Ca	≤ OL	≤OL	EOD < X <(130+30) ≤ OL
Pb	BL ≤(700-3 <i>σ</i>)< X <(1300+3	BL ≤(700-3 <i>σ</i>)< X <(1300+3	BL ≤(500-3 σ)< X <(1500+3
FU	<i>σ</i>)≤ O L	<i>σ</i>)≤ O L	<i>σ</i>) ≤ O L
	BL ≤(700-3 σ)< X <(1300+3	BL ≤(700-3 <i>σ</i>)< X <(1300+3	BL ≤(500-3 σ)< X <(1500+3
Hg	<i>σ</i>)≤ O L	σ) ≤ OL	<i>σ</i>) ≤ OL
Br	BL ≤ (300-3 <i>σ</i>)< X	NA	BL ≤ (250-3 <i>σ</i>)< X
Cr	BL ≤ (700-3 <i>σ</i>)< X	BL ≤ (700-3 <i>σ</i>)< X	BL ≤ (500-3 σ)< X

- (2) ① mg/kg = ppm = 0.0001%, ND = Not Detected (Less than reporting limit value.).
 - 2 Unit, Reporting Limit (RL) and Requirement limit in wet chemical test.

Test items	Pb	Cd	Hg	Cr ⁶⁺ (Non-metal)	Cr ⁶⁺ (metal)	PBBs(single)	PBDEs(single)
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RL	2	2	2	2	2	5	5
Requirement Limit	1000	100	1000	1000	Negative	1000	1000

- 3 According to IEC 62321-7-1:2015 & IEC 62321-7-2:2017, result on Cr⁶⁺ for metal sample shall be shown as Positive/Negative.
 - Negative = Absence of Cr^{6+} coating, Positive = Presence of Cr^{6+} coating.
 - Storage condition and production date of the tested sample are unavailable and thus results of Cr⁶⁺ represent status of the sample at the time of testing.
- 4 According to IEC 62321-3-1:2013, this column represents the results of wet chem test. And "NA" means no need to perform wet chem test, when the XRF screening results are acceptable.





No.: ED190717034C005 Date: July 31, 2019 Page 12 of 14

Photo Appendix



* * * * * * The End * * * * * *





No.: ED190717034C005 Page 13 of 14 Date: July 31, 2019

ANNEX

EXEMPTION LIST

- Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):
- 1(a) For general lighting purposes < 30W: 5mg (expires on 31 December 2011; 3.5mg may be used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012)
- 1(b) For general lighting purposes ≥ 30W and <50W: 5mg (expires on 31 December 2011; 3.5mg may be used per burner after 31 December 2011)
- For general lighting purposes ≥ 50W and <150W: 5mg 1(c)
- 1(d) For general lighting purposes ≥ 150W: 15mg
- 1(e) For general lighting purposes with circular or square structural shape and tube diameter ≤17mm (no limitation of use until 31 December 2011; 7mg may be used per burner after 31 December 2011)
- For special purposes: 5mg 1(f)
- For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3,5 mg (Expires on 31 December 2017) 1(g)
- Mercury in double-capped linear fluorescent lamps for general lighting purples not exceeding (per lamp): 2(a)
- 2(a)(1) Tri-band phosphor with normal lifetime and a tube diameter < 9mm (e.g. T2): 5mg (expires on 31 December 2011; 4mg may be used per lamp after 31 December 2011)
- Tri-band phosphor with normal lifetime and a tube diameter ≥ 9mm and ≤ 17mm (e.g. T5): 5mg (expires on 31 December 2(a)(2) 2011; 3mg may be used per lamp after 31 December 2011)
- Tri-band phosphor with normal lifetime and a tube diameter > 17mm and ≤ 28mm (e.g. T8): 5mg (expires on 31 December 2(a)(3) 2011; 3.5mg may be used per lamp after 31 December 2011)
- 2(a)(4) Tri-band phosphor with normal lifetime and a tube diameter > 28mm (e.g. T12): 5mg (expires on 31 December 2012; 3.5mg may be used per lamp after 31 December 2012)
- Tri-band phosphor with long lifetime (≥ 25000h): 8mg (expires on 31 December 2011; 5mg may be used per lamp after 31 2(a)(5) December 2011)
- Mercury in other fluorescent lamps not exceeding (per lamp): 2(b)
- Non-linear halophosphate lamps (all diameters): 15mg (expires on 13 April 2016) 2(b)(2)
- Non-linear tri-band phosphor lamps with tube diameter > 17mm (e.g. T9) (no limitation of use until 31 December 2011; 15mg 2(b)(3)may be used per lamp after 31 December 2011)
- 2(b)(4)Lamps for other general lighting and special purposes (e.g. induction lamps) (no limitation of use until 31 December 2011; 15mg may be used per lamp after 31 December 2011)
- Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not 3 exceeding (per lamp):
- 3(a) Short length (≤ 500mm) (No limitation of use until 31 December 2011; 3.5mg may be used per lamp after 31 December 2011)
- Medium length (> 500m and ≤ 1500mm) (No limitation of use until 31 December 2011; 5mg may be used per lamp after 31 3(b)
- Long length (> 1500mm) (No limitation of use until 31 December 2011; 13mg may be used per lamp after 31 December 2011) 3(c)
- 4(a) Mercury in other low pressure discharge lamps (per lamp) (no limitation of use until 31 December 2011; 15mg may be used per lamp after 31 December 2011)
- 4(b) Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60:
- 4(b)-I P ≤ 155W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011)
- 155W < P ≤ 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011) 4(b)-II
- P > 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011) 4(b)-III
- Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner): 4(c)
- P≤ 155W (no limitation of use until 31 December 2011; 25mg may be used per burner after 31 December 2011) 4(c)-I 4(c)-II 155W < P ≤ 405W (no limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011)
- P > 405W (no limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011) 4(c)-III
- Mercury in High Pressure Mercury (vapour) lamps (HPMV) (expires on 13 April 2015) 4(d)
- 4(e) Mercury in metal halide lamps (MH)
- 4(f) Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex
- Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-4(g) artwork, where the mercury content shall be limited as follows: (Expires on 31 December 2018)
 - (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 ° C;
 - 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.





No.: ED190717034C005 Date: July 31, 2019 Page 14 of 14

ANNEX

EXEMPTION LIST

Continued

Lead in glass of cathode ray tubes
Lead in glass of fluorescent tubes not exceeding 0.2% by weight
Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight
Lead as an alloying element in aluminium containing up to 0.4% lead by weight
Copper alloy containing up to 4% lead by weight.
Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead)
Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling transmission, and network management for telecommunications

- 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound
 7(c)-II Lead in dielectric ceramic in capacitors for a rated voltage of 125V AC or 250V DC or higher
- 7(c)-III Lead in dielectric ceramic in capacitors for a rated voltage of less than 125V AC or 250V DC (expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013).
- 7(c)-IV Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors
 8(a) Cadmium and its compounds in one shot pellet type thermal cut-offs (expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012)
- 8(b) Cadmium and its compounds in electrical contacts
 Hexavalent chromium as an anti-corrosion agent of the carbon steel cooling system in absorption refrigerators up to 0.75% by weight in the cooling solution
- 9(b) Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications
- 11(b) Lead used in other than C-press compliant pin connector systems (expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013)
- 13(a) Lead in white glasses used for optical applications
- 13(b) Cadmium and lead in filter glasses and glasses used for reflectance standards
- Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80% and less than 85% by weight (expires on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011)
- Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit Flip Chip packages
- 17 Lead halide as radiant agent in High Intensity Discharge (HID) lamps used for professional reprography applications
- 18(b) Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi₂O₅:Pb)
- 21 Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glass
- 24 Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors
- Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring
- 29 Lead bound in crystal glass as defined in Annex 1 (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC
- 30 Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more
- Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)
- 32 Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes
- 33 Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers
- 34 Lead in cermet-based trimmer potentiometer elements
- 37 Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body
- 38 Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide
- 39 Cadmium in colour converting II-VI LEDs (< 10 μg Cd per mm² of light- emitting area) for use in solid state illumination or display systems (expires on 1 July 2014)
- Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council (2)) (Expires on 31 December 2018)



答发测试报告条款

Conditions of Issuance of Test Reports

1. 东莞市信测科技有限公司(以下简称[本公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务,下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。

All samples and goods are accepted by the EMTEK (Dongguan) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").

2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其他人出示或提交。除非相关政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。

Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。

The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。

The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.

5. 如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。

In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。

Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. 如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。

The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。

Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. 该测试报告的支持数据和信息本公司保存10年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。

Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

10. 报告的签发记录可通过登录http://www.emtek.com.cn/zhengshuchaxun.html查询。如需进一步查询报告有效性或核实报告,需与本公司联系。

Issuance records of the Report are available on the internet at

http://www.emtek.com.cn/zhengshuchaxun.html. Further enquiry of validity or verification of the Report should be addressed to the company.