

RASTAR GROUP Applicant:

XINGHUI INDUSTRIAL PARK, XIADAO ROAD, SHANGHUA, CHENGHAI,

SHANTOU, GUANGDONG, CHINA

Sample Description:

Five (5) sets of submitted sample said to be :

Item Name Model R/C Car

Labelled Age Group 6+

Appropriate Age Grading for Over 6 years

Testing

Packaging Provided by Yes

Applicant

Country of Origin China







Oct 25, 2019

Date:





Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued



Page 1 of 13





Conclusion:

Tested sample Standard Result Submitted sample sets EN71-1:2014+A1:2018 for mechanical and physical properties Pass

> Pass EN71-2:2011+A1:2014 Flammability test

Tested component(s) of submitted sample sets

EN71-3:2013+A3:2018 on migration of certain elements **Pass**

EN71-3:2013+A3:2018 on migration of certain elements & EU **Pass** 2018/725 amending 2009/48/EC (effective from Nov 18,2019)

for chromium (VI) migration

EN71-3:2019 on migration of certain elements **Pass**

Authorized by:

For Intertek Testing Services Shenzhen Ltd.

Guangzhou Branch, Hardlines

Ben N.L. Lin General Manager





Tests Conducted

1 Physical and Mechanical Tests

As per European Standard on Safety of toys EN71-1:2014+A1:2018

The submitted samples were undergone the following abuse tests:

Test Clause **Parameter** 850 mm x 5 times Drop test 8.5

Impact test 8.7 1 kg Flexibility of metallic wires 8.13 70 Ň

Clause	Testing Items	Assessment
4	General requirements	
4.1	Material	Р
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	NA
4.10	Parts moving against each other	Р
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA









Tests Conducted

Clause	Testing Items	Assessment
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	P/#
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable







Tests Conducted

= Age warning statement, graphical symbol and the indication of hazard was found on the

packaging.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement.

These information also appears as a note within the EN71 but are not standard

requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was on the packaging.
- Manufacturer's address was on the packaging.
- Importer's name was missed.
- Importer's address was missed.
- Product identification code was on the packaging and toy.

- CE marking was on the packaging and toy.

Date sample received: Oct 16,2019

Testing period: Oct 16,2019 to Oct 18, 2019

2 Flammability Test

As per European Standard on Safety of Toys EN71-2:2011+A1:2014

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

P = Pass Remark: NA = Not Applicable

Date sample received: Oct 16,2019

Testing period: Oct 16,2019 to Oct 18, 2019

Page 5 of 13

广州经济技术开发区科学城彩频路 7 号之二 E 栋。广州市高新技术开发区科 学城光谱西路 69号 TCL 文化产业园汇创空间 111 室。(邮编: 510663)



Tests Conducted

3 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2013+A3:2018 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Ion Chromatography with UV-VIS.

Category (III): Scraped-off toy material

	Result (mg/kg)			Reporting Limit	<u>Limit</u> (mg/kg)	
<u>Element</u>	Tested Component					
	(2)	(3)	(14)	(26)	<u>(mg/kg)</u>	(mg/kg)
Aluminium (Al)	16621	579	ND	ND	300	70000
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND [#]	ND [#]	ND [#]	ND [#]	0.025	0.2/0.053©
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	2.0	12
Zinc (Zn)	ND	ND	557	1780	100	46000

Page 6 of 13



Tests Conducted

	Result (mg/kg)	Reporting	,
<u>Element</u>	Tested Component	Limit	<u>Limit</u> (mg/kg)
	(4), (18), (24), (25), (28)	(mg/kg)	
Aluminium (AI)	ND	300	70000
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III)	ND _u	10	460
Chromium (VI) (Cr VI)	ND [#]	0.025	0.2/0.053◎
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organić tin **	ND	2.0	12
Zinc (Zn)	ND	100	46000

	Result (mg/kg)	Reporting	Linait
<u>Element</u>	Tested Component	<u> Ĺimit</u>	<u>Limit</u> (mg/kg)
	(15), (16), (17), (19), (20), (21), (22), (23), (27)	(mg/kg)	
Aluminium (Al)	ND	300	70000
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) **	ND	10	460
Chromium (VI) (Cr VI) **	ND	0.025	0.2/0.053◎
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin **	ND	2.0	12
Zinc (Zn)	ND	100	46000



intertek.com

Tel +8620 8213 9688 Fax +8620 3205 3537 intertek.com.cn





Tests Conducted

mg/kg = milligram per kilogram Remark:

++ = Unless the test results were marked with "#" or "\Delta", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019.

Client requirement on Aluminium (Al) for category(III) = 28130 mg/kg

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).

Tested Component(s): See component list in the last section of this report

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking, (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Oct 16, 2019

Testing period: Oct 16, 2019 to Oct 24, 2019



Fax +8620 3205 3537 intertek.com.cn

intertek.com







Tests Conducted

4 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Ion Chromatography with UV-VIS.

Category (III): Scraped-off toy material

	Result (mg/kg)			Reporting Limit	<u>Limit</u> (mg/kg)	
<u>Element</u>	Tested Component					
	(2)	(3)	(14)	(26)	<u>(mg/kg)</u>	(mg/kg)
Aluminium (Al)	16621	579	ND	ND	300	70000
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND [#]	ND [#]	ND [#]	ND [#]	0.025	0.053©
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	2.0	12
Zinc (Zn)	ND	ND	557	1780	100	46000

Page 9 of 13

广州经济技术开发区科学城彩频路 7 号之二 E 栋。广州市高新技术开发区科 学城光谱西路 69号 TCL 文化产业园汇创空间 111 室。(邮编: 510663)



Tests Conducted

	Result (mg/kg)	Reporting	,
<u>Element</u>	Tested Component	Limit	<u>Limit</u> (mg/kg)
	(4), (18), (24), (25), (28)	(mg/kg)	
Aluminium (Al)	ND	300	70000
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) **	ND _u	10	460
Chromium (VÍ) (Cr VÍ) **	ND [#]	0.025	0.053©
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin **	ND	2.0	12
Zinc (Zn)	ND	100	46000

	Result (mg/kg)	Reporting	1.1	
<u>Element</u>	Tested Component	<u> Ĺimit</u>	<u>Limit</u> (mg/kg)	
	(15), (16), (17), (19), (20), (21), (22), (23), (27)	<u>(mg/kg)</u>	(mg/kg)	
Aluminium (Al)	ND	300	70000	
Antimony (Sb)	ND	10	560	
Arsenic (As)	ND	10	47	
Barium (Ba)	ND	10	18750	
Boron (B)	ND	50	15000	
Cadmium (Cd)	ND	5	17	
Chromium (III) (Cr III) **	ND	10	460	
Chromium (VI) (Cr VI) **	ND	0.025	0.053©	
Cobalt (Co)	ND	10	130	
Copper (Cu)	ND	10	7700	
Lead (Pb)	ND	10	23	
Manganese (Mn)	ND	10	15000	
Mercury (Hg)	ND	10	94	
Nickel (Ni)	ND	10	930	
Selenium (Se)	ND	10	460	
Strontium (Sr)	ND	100	56000	
Tin (Sn)	ND	2.5	180000	
Organic tin **	ND	2.0	12	
Zinc (Zn)	ND	100	46000	



intertek.com

Tel +8620 8213 9688 Fax +8620 3205 3537 intertek.com.cn





Tests Conducted

mg/kg = milligram per kilogram Remark:

++ = Unless the test results were marked with "#" or "\Delta", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019.

Client requirement on Aluminium (Al) for category(III) = 28130 mg/kg

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).

Tested Component(s): See component list in the last section of this report

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking, (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Oct 16, 2019

Testing period: Oct 16, 2019 to Oct 24, 2019



intertek.com.cn

intertek.com







Tests Conducted

Component list:

- @Coatings (blue, silver color) on plastic (logo of car of sample #1, #2, #3).
- (2)Silver color coating on plastic (side, entrance mat, steering wheel, spare wheel, wheel, tail of car of sample #1, #2, #3, #4, #5, pattern of remote control of sample #1, #2, #3) (sample weight: 50.1mg).
- Bright silver color coating on plastic (head logo, exhaust pipe, outside mirror of car of sample #1, #2, (3)#3) (sample weight: 32.5mg).
- Black coating on plastic (edge of roof of car sample #1, #3) (sample weight: 62.5mg). (4)
- @White coating on plastic (pattern of remote control of all styles).
- @Red coating on plastic (pattern of trunk door, rear of car of sample #1, #2).
- @Orange coating on plastic pattern of trunk door of car of sample #3).
- (8) @Coatings (red, black) on plastic (pattern of tail of car sample #4, #5).
- (9) @Coatings (red, white, green) on plastic (pattern of car of sample #4, #5).
- (10) @Coatings (silver color, red, black) on plastic (pattern of body side molding of car of sample #4, #5).
- (11) @Coatings (gold color, black) on plastic (head logo of car of sample #4, #5).
- (12) @Coatings (white, black, red) on plastic (rear logo of car of sample #4, #5).
- (13) @Gold color coating on plastic (logo of remote control of sample #4, #5).
- (14) White plastic (body of car sample #1).
- (15) Black plastic (edge of windshield wiper, windshield, sliding sunroof, window, safe seats, car door, spare wheel, trunk, head of car of sample #1, #2, #3, chassis, wheel, battery covering, switch of car of all styles, body, battery covering of remote control of sample #1, #2, #3).
- Black plastic (body of car of sample #2).
- (17) Bright black plastic (windshield wiper, windshield, rear of car of sample #4, #5, body of remote control of sample #4, #5)
- (18)Black soft plastic (outside mirror of car of all styles, antenna of remote control of sample #1, #2, #3).
- (19) Black soft plastic (tire of car of all styles).
- (20)Off white plastic (direction adjustment of car of sample #1, #2, #3).
- Transparent white plastic (direction adjustment of car of sample #4, #5). (21)
- (22)Transparent plastic (headlight, bonnet, windshield, window, sliding sunroof, rear window of car of sample #1, #2, #3).
- Transparent red plastic (tail lamp of car of sample #1, #2, #3). (23)
- (24)Red plastic (body of car of sample #3).
- (25) Light red plastic (outside mirror, exhaust pipe of car of sample #1, #2, #3).
- (26)Bright red plastic (button of remote control of sample #1, #2, #3).
- (27)Orange plastic (body of car sample #4).
- Yellow plastic (body of car sample #5). (28)
- @: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Fax +8620 3205 3537 intertek.com.cn

intertek.com

Page 12 of 13 Tel +8620 8213 9688



深圳天祥质量技术服务有限公司广州分公司



Tests Conducted

Annendix

		<u>Appendix</u>
Reference No./Description	: 96900 97200 97500 97510 95900 96300 20100 20900 21200 23100 53400 53500 53600 53610 53700 53800 53800 53900 54100 59100 59200 59300 59400 50300 50500 60400 60500 08200R 08300R 17000R 17090R 18090R 17090R 18090R 17090R 18090R 19030R 22000R 26200 33300R 81409 89020 89890 91700 97400 96800	Ferrari FXXK Ferrari GTE Ferrari SF90 Stradale Ferrari SF90 Stradale Performance BMW Z4 Roadster McLaren Senna PAJERO MINI COOPER S Mercedes-Benz ML-CLASS BMW X5 Ferrari 458 Italia Ferrari F12 Audi R8 Audi R8 LMS Performance Lamborghini Sesto Elemento Ferrari F1 Bugatti Veyron Grand Sport Vitesse Mercedes-Benz SLS AMG Off-Roader BMW I8 AUDI R8 Performance 2015 Version Porsche 911 GT3 CUP Porsche Cayenne Ferrari FF Ferrari 599 GTO Ferrari 458 Italia scale Stunt Scooter-R tech scale Stunt-R tech scale Track-R tech Dancing Car-R tech Stunt Car-R tech Scale Twist-R tech B Furious-R tech Scale Dancer-R tech Mini Virtuosic Stunt-R tech scale Rolling Stunt-R tech scale Rolling Stunt-R tech scale Rolling Stunt-R tech scale Rolling Stunt-R tech Lamborghini Sian Building car Land Rover Transformable Building car
**********	*********	************************************

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Limited, Guangzhou Branch.





Tel +8620 8213 9688 Fax +8620 3205 3537 intertek.com.cn intertek.com