

Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Applicant: SILVERLIT TOYS MANUFACTORY LTD
RM 1102 EAST OCEAN CTR
98 GRANVILLE RD
TST
KLN HK

Number: HKGH0250849301

Date: Sep 16, 2019

Submitted sample said to be :
Item Name : **ROBO DACKEL JR.**
Item No. : **88578**
Quantity : 6 sets
Labelled Age Group : 5+
Packaging Provided : Yes (artwork)

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN71-1: 2014 + A1: 2018 - Mechanical and Physical Properties	Pass
(2) EN71-2 : 2011 + A1 : 2014 - Flammability Test	Pass
(3) ASTM F963-17 - Soluble heavy elements test	Pass
(4) EN71-3 : 2013 + A3:2018 - Migration of certain elements	Pass

Prepared and checked by:
For Intertek Testing Services HK Ltd.

Wong, Siu Kai William
Assistant General Manager
Toys and Hardlines

Wong, Chun Man Francis
Senior Manager
Central Chemical Laboratory





Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

TEST REPORT

Number : HKGH0250849301

(1) Physical and Mechanical Tests

Test Standard : European Standard on Safety of Toys EN71-1:2014 + A1: 2018

Age group for testing : For Ages Over 5 Years

Clause	Testing Items
8.5	Drop Test (850 mm x 5)
8.7	Impact test (1 kg)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

Clause	Requirement	Assessment
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

Abbreviation : P = Pass NA = Not Applicable

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Absent	Present
Product identification code	Absent	Present
CE-marking	Present	Present

Date sample received : Sep 10, 2019

Test Period : Sep 10, 2019 to Sep 12, 2019





Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

TEST REPORT

Number : HKGH0250849301

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN71-2 : 2011 + A1 : 2014

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Sep 10, 2019

Test Period : Sep 10, 2019 to Sep 12, 2019

(3) Heavy Elements Analysis

Test Method : Sections 8.3.2, 8.3.3, 8.3.4 and 8.3.5 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17, acid extraction and analysed by Inductively Coupled Argon Plasma Spectrometry.

Materials other than modelling clay:

	Result (ppm)			Limit (ppm)
	(3)	(4)	(5)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

	Result (ppm)			Limit (ppm)
	(6)	(7)	(8)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(9)	(10)	(11)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

ppm = parts per million = mg/kg

@ : Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

Tested Components:

- (1) @ Grey coating on plastic (head, eyes, nose of dog).
- (2) @ Coatings (shiny black, white, deep aqua) on plastic (eyes of dog).
- (3) Coating (black, blue) on plastic (body of dog, button of ball).
- (4) Black plastic (nose, ears, tail of dog).
- (5) Translucent grey plastic (body of dog).
- (6) Translucent plastic (chest, eyes of dog).
- (7) Dull translucent plastic (body, button of ball).
- (8) Shiny black plastic (chest, wheels of dog).
- (9) Deep grey plastic (pin of ears, on/off switch, body of dog).
- (10) White plastic (body of dog).
- (11) Dull black plastic (wheels of dog).

Date sample received : Sep 10, 2019

Test Period : Sep 10, 2019 to Sep 13, 2019





Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.

TEST REPORT

Number : HKGH0250849301

(4) 19 Toxic Element Migration Test

Test Method : EN71-3:2013+A3:2018. Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry and/or Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry and/or Gas Chromatographic - Mass Spectrometry

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(3)	(4)	(5)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<4	<4	<4	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

	Result (mg/kg)			Limit (mg/kg)
	(6)	(7)	(8)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<4	<4	<4	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

	Result (mg/kg)		Limit (mg/kg)
	(9)	(10)	
Soluble Aluminium (Al)	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	560
Soluble Arsenic (As)	<10	<10	47
Soluble Barium (Ba)	<10	<10	18750
Soluble Boron (B)	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	130
Soluble Copper (Cu)	<10	<10	7700
Soluble Lead (Pb)	<10	<10	160
Soluble Manganese (Mn)	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	94
Soluble Nickel (Ni)	<10	<10	930
Soluble Selenium (Se)	<10	<10	460
Soluble Strontium (Sr)	<100	<100	56000
Soluble Tin (Sn)	<4	<4	180000
Soluble Organic tin ++	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	46000

mg/kg = milligram per kilogram



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301

++ : Unless the test results were marked with "^" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

Organic tin test result was expressed as tributyl tin.

@ : Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Tested Components:

- (1) @ Grey coating on plastic (head, eyes, nose of dog).
- (2) @ Coatings (shiny black, white, deep aqua) on plastic (eyes of dog).
- (3) Coating (black, blue) on plastic (body of dog, button of ball).
- (4) Black plastic (nose, ears, tail of dog).
- (5) Translucent grey plastic (body of dog).
- (6) Dull translucent plastic (body, button of ball).
- (7) Shiny black plastic (chest, wheels of dog).
- (8) Deep grey plastic (pin of ears, on/off switch, body of dog).
- (9) White plastic (body of dog).
- (10) Dull black plastic (wheels of dog).

Date sample received : Sep 10, 2019

Test Period : Sep 10, 2019 to Sep 13, 2019



Issuing Laboratory:

Intertek Testing Services Hong Kong Ltd.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 005) under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories.



TEST REPORT

Number : HKGH0250849301



End of report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

